

§ 180.426

and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only clomazone, 2-[(2-chlorophenyl)methyl]-4,4-dimethyl-3-isoxazolidinone, in or on the commodity.

Commodity	Parts per million
Bean, snap, succulent	0.05
Brassica, head and stem, subgroup 5A	0.10
Cotton, undelinted seed	0.05
Cowpea, forage	0.05
Cowpea, hay	0.05
Cucumber	0.1
Pea, southern, dry seed	0.05
Pea, southern, succulent seed	0.05
Pea, succulent	0.05
Pepper	0.05
Peppermint, tops	0.05
Pumpkin	0.1
Rhubarb	0.30
Rice, grain	0.02
Rice, straw	0.02
Soybean	0.05
Spearmint, tops	0.05
Squash, summer	0.1
Squash, winter	0.1
Sugarcane, cane	0.05
Sweet potato, roots	0.05
Vegetable, cucurbit, group 9	0.05
Vegetable, tuberous and corm, except potato, subgroup 1D	0.05

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[51 FR 9446, Mar. 19, 1986]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.425, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.426 2-[4,5-Dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinoline carboxylic acid; tolerance for residues.

A tolerance is established for residues of the herbicide 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-quinoline carboxylic acid, in or on the raw agricultural commodity soybean at 0.05 part per million.

[51 FR 13309, Apr. 2, 1986]

40 CFR Ch. I (7–1–14 Edition)

§ 180.427 Tau-Fluvalinate; tolerances for residues.

(a) *General.* Tolerances are established for residues of the insecticide tau-fluvalinate, cyano-(3-phenoxyphenyl)methyl N-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate, in or on the following food commodities:

Commodity	Parts per million
Honey	0.02

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect and inadvertent residues.* [Reserved]

[65 FR 33701, May 24, 2000, as amended at 67 FR 49617, July 31, 2002; 73 FR 52616, Sept. 10, 2008]

§ 180.428 Metsulfuron methyl; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of the herbicide metsulfuron methyl (methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino] sulfonyl] benzoate) and its metabolite methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino] sulfonyl]-4-hydroxybenzoate in or on the following raw material agricultural commodities:

Commodity	Parts per million
Barley, grain	0.1
Barley, hay	20.0
Barley, straw	0.3
Grass, forage	15.0
Grass, hay	15.0
Grass, straw	15.0
Sorghum, grain, forage	0.2
Sorghum, grain, grain	0.1
Sorghum, grain, stover	0.2
Sugarcane, cane	0.05
Wheat, forage	5.0
Wheat, grain	0.1
Wheat, hay	20.0
Wheat, straw	0.3

(2) Tolerances are established for residues of metsulfuron methyl (methyl-2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino] sulfonyl] benzoate) in or on the following raw agricultural commodities: